



VARTA

| TYPE | | Equivalent | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------------|-------|----------|-------|--------------|------|-------------|---------|----------|
| D52 | 560 901 068 | LA60 | H5/L2 | 60 Ah | 680 A | 0/1 | B13 | 242*175*190 | 17,5 kg | 63 |
| E39 | 570 901 076 | LA70 | H6/L3 | 70 Ah | 760 A | 0/1 | B13 | 278*175*190 | 20,4 kg | 48 |
| F21 | 580 901 080 | LA80 | H7/L4 | 80 Ah | 800 A | 0/1 | B13 | 315*175*190 | 22,8 kg | 36 |
| G14 | 595 901 085 | LA95 | H8/L5 | 95 Ah | 850 A | 0/1 | B13 | 353*175*190 | 26,4 kg | 36 |
| H15 | 605 901 095 | LA105 | H9 | 105 Ah | 950 A | 0/1 | B13 | 393*175*190 | 29,4 kg | 36 |



SILVER.DYNAMIC

| TYPE | | Equivalent | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight. | #-pallet |
|------|-------------|------------|--------|----------|-------|--------------|------|-------------|---------|----------|
| C6 | 552 401 052 | B18 | T4/LB1 | 52 Ah | 520 A | 0/1 | B13 | 207*175*175 | 12 kg | 72 |
| C30 | 554 400 053 | C22 | H4/L1 | 52 Ah | 530 A | 0/1 | B13 | 207*175*190 | 12,4 kg | 72 |
| D21 | 561 400 060 | D59 | T5/LB2 | 61 Ah | 600 A | 0/1 | B13 | 242*175*175 | 14,3 kg | 63 |
| D15 | 563 400 061 | D24 | H5/L2 | 63 Ah | 610 A | 0/1 | B13 | 242*175*190 | 14,8 kg | 63 |
| D39 | 563 401 061 | D43 | H5R/L2 | 63 Ah | 610 A | 1/1 | B13 | 242*175*190 | 14,8 kg | 63 |
| E38 | 574 402 075 | E43 | T6/LB3 | 74 Ah | 750 A | 0/1 | B13 | 278*175*175 | 17,1 kg | 48 |
| E44 | 577 400 078 | E11 | H6/L3 | 77 Ah | 780 A | 0/1 | B13 | 278*175*190 | 17,9 kg | 48 |
| F18 | 585 200 080 | F17 | T7/LB4 | 85 Ah | 800 A | 0/1 | B13 | 315*175*175 | 19 kg | 36 |
| F19 | 585 400 080 | F16 | H7/L4 | 85 Ah | 800 A | 0/1 | B13 | 315*175*190 | 19,8 kg | 36 |
| H3 | 600 402 083 | G3 | H8/L5 | 100 Ah | 830 A | 0/1 | B13 | 353*175*190 | 21,9 kg | 36 |
| I1 | 610 402 092 | | H9 | 110 Ah | 920 A | 0/1 | B13 | 393*175*190 | 24,5 kg | 36 |



SILVER.DYNAMIC.AUXILARY

| TYPE | | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|-------|-------------|------|----------|-------|--------------|------|-------------|--------|----------|
| AUX9 | 509 106 013 | AGM | 9 Ah | 130 A | M6/1 | B00 | 151*87*106 | 2,9 kg | |
| AUX14 | 513 106 020 | AGM | 13 Ah | 200 A | M6/1 | B00 | 150*87*146 | 4,6 kg | |
| AUX1 | 535 106 052 | AGM | 35 Ah | 520 A | 1/0 | B13 | 212*175*140 | 12 kg | |



BLUE.DYNAMIC.EFB

| TYPE | | type | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|--|------|------|----------|-----|--------------|------|----------|--------|----------|
|------|--|------|------|----------|-----|--------------|------|----------|--------|----------|

| | | | | | | | | | | |
|-----|-------------|---------|--------|-------|-------|-----|-----|-------------|---------|----|
| N60 | 560 500 064 | EFB | H5/L2 | 60 Ah | 640 A | 0/1 | B13 | 242*175*190 | 16,9 kg | 63 |
| D54 | 565 500 065 | EFB | T6/LB3 | 65 Ah | 650 A | 0/1 | B13 | 278*175*175 | 18,6 kg | 48 |
| N65 | 565 501 065 | EFB-JIS | D23L | 65 Ah | 650 A | 0/1 | B01 | 232*173*225 | 17 kg | 54 |
| N70 | 570 500 076 | EFB | H6/L3 | 70 Ah | 760 A | 0/1 | B13 | 278*175*190 | 19,5 kg | 48 |
| N72 | 572 501 076 | EFB-JIS | D26L | 72 Ah | 760 A | 0/1 | B01 | 261*175*220 | 19 kg | 48 |
| E46 | 575 500 073 | EFB | T7/LB4 | 75 Ah | 730 A | 0/1 | B13 | 315*175*175 | 21,2 kg | 42 |
| N80 | 580 500 080 | EFB | H7/L4 | 80 Ah | 800 A | 0/1 | B13 | 315*175*190 | 21,7 kg | 42 |
| N85 | 585 501 080 | EFB-JIS | D31L | 95 Ah | 800 A | 0/1 | B01 | 306*173*225 | 22 kg | 39 |
| N95 | 595 500 085 | EFB | H8/L5 | 95 Ah | 850 A | 0/1 | B13 | 353*175*190 | 24,5 kg | 36 |



BLUE.DYNAMIC

| TYPE | Equivalent | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet | |
|------|-------------|---------|----------|-------|--------------|------|----------|-------------|----------|----|
| A13 | 540 125 033 | | B19LS | 40 Ah | 330 A | 0/3 | B01 | 187*127*227 | 10,1 kg | 84 |
| A14 | 540 126 033 | | B19L | 40 Ah | 330 A | 0/3 | B00 | 187*127*227 | 10,1 kg | 84 |
| A15 | 540 127 033 | | B19R | 40 Ah | 330 A | 1/3 | B00 | 187*127*227 | 10,1 kg | 84 |
| B36 | 544 401 042 | A16 | H3/L0 | 44 Ah | 420 A | 0/1 | B13 | 175*175*190 | 10,8 kg | 72 |
| B18 | 544 402 044 | C6,A17 | T4/LB1 | 44 Ah | 440 A | 0/1 | B13 | 207*175*175 | 11,3 kg | 72 |
| B31 | 545 155 033 | | B24LS | 45 Ah | 330 A | 0/3 | B00 | 238*129*227 | 11,7 kg | 72 |
| B32 | 545 156 033 | | B24L | 45 Ah | 330 A | 0/1 | B00 | 238*129*227 | 11,7 kg | 72 |
| B33 | 545 157 033 | | B24RS | 45 Ah | 330 A | 1/3 | B00 | 238*129*227 | 11,7 kg | 72 |
| B34 | 545 158 033 | | B24R | 45 Ah | 330 A | 1/1 | B00 | 238*129*227 | 11,7 kg | 72 |
| C22 | 552 400 047 | C30,B19 | H4/L1 | 52 Ah | 470 A | 0/1 | B13 | 207*175*190 | 12,4 kg | 72 |
| D43 | 560 127 054 | D39,C15 | H5R/L2 | 60 Ah | 540 A | 1/1 | B13 | 242*175*190 | 14,3 kg | 63 |
| D24 | 560 408 054 | D15,C14 | H5 | 60 Ah | 540 A | 0/1 | B13 | 242*175*190 | 15 kg | 63 |
| D59 | 560 409 054 | D21,C11 | T5 | 60 Ah | 540 A | 0/1 | B13 | 242*175*175 | 13,9 kg | 63 |
| D47 | 560 410 054 | | D23L | 60 Ah | 540 A | 0/1 | B00 | 232*173*225 | 14,5 kg | 54 |
| D48 | 560 411 054 | | D48 | 60 Ah | 540 A | 1/1 | B00 | 232*173*225 | 14,5 kg | 54 |
| E23 | 570 412 063 | | D26L | 70 Ah | 630 A | 0/1 | B01 | 261*175*220 | 17,3 kg | 48 |
| E24 | 570 413 063 | | D26R | 70 Ah | 630 A | 1/1 | B01 | 261*175*220 | 17,3 kg | 48 |
| E43 | 572 409 068 | E38,E9 | T6/LB3 | 72 Ah | 680 A | 0/1 | B13 | 278*175*175 | 17,1 kg | 48 |
| E11 | 574 012 068 | E44,E13 | H6/L3 | 74 Ah | 680 A | 0/1 | B13 | 278*175*190 | 17,3 kg | 48 |
| E12 | 574 013 068 | | H6R | 74 Ah | 680 A | 1/1 | B13 | 278*175*190 | 17,3 kg | 48 |
| F16 | 580 400 074 | F19 | H7/L4 | 80 Ah | 740 A | 0/1 | B13 | 315*175*190 | 19,1 kg | 36 |
| F17 | 580 406 074 | F18 | T7/LB4 | 80 Ah | 740 A | 0/1 | B13 | 315*175*175 | 19,2 kg | 36 |
| G3 | 595 402 080 | H3,F6 | H8/L5 | 95 Ah | 800 A | 0/1 | B13 | 353*175*190 | 21,3 kg | 36 |
| G7 | 595 404 083 | | D31L | 95 Ah | 830 A | 0/1 | B01 | 306*173*225 | 20,4 kg | 39 |
| G8 | 595 405 083 | | D31R | 95 Ah | 830 A | 1/1 | B01 | 306*173*225 | 20,4 kg | 39 |



**BLACK.DYNAMIC**

| TYPE | | Equivalent | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------------|--------|----------|-------|--------------|------|-------------|---------|----------|
| A16 | 540 406 034 | B36 | H3/L0 | 40 Ah | 340 A | 0/1 | B13 | 175*175*190 | 9,9 kg | 72 |
| A17 | 541 400 036 | B18 | T4/LB1 | 41 Ah | 360 A | 0/1 | B13 | 207*175*175 | 10,7 kg | 72 |
| B19 | 545 412 040 | C22 | H4/L1 | 45 Ah | 400 A | 0/1 | B13 | 207*175*190 | 11,4 kg | 72 |
| B20 | 545 413 040 | | H4R/L1 | 45 Ah | 400 A | 1/1 | B13 | 207*175*190 | 11,4 kg | 72 |
| B23 | 545 077 030 | | E2 | 45 Ah | 300 A | 0/1 | B01 | 219*135*225 | 11,3 kg | 78 |
| B24 | 545 079 030 | | E2R | 45 Ah | 300 A | 1/1 | B01 | 219*135*225 | 11,3 kg | 78 |
| C11 | 553 401 050 | D59 | T5/LB2 | 53 Ah | 500 A | 0/1 | B13 | 242*175*175 | 13,3 kg | 63 |
| C14 | 556 400 048 | D24 | H5/L2 | 56 Ah | 480 A | 0/1 | B13 | 242*175*190 | 13,7 kg | 63 |
| C15 | 556 401 048 | D43 | H5R/L2 | 56 Ah | 480 A | 1/1 | B13 | 242*175*190 | 13,7 kg | 63 |
| E9 | 570 144 064 | E43 | T6/LB3 | 70 Ah | 640 A | 0/1 | B13 | 278*175*175 | 16 kg | 48 |
| E13 | 570 409 064 | E11 | H6/L3 | 70 Ah | 640 A | 0/1 | B13 | 278*175*190 | 16,6 kg | 48 |
| F5 | 588 403 074 | | T8/LB5 | 88 Ah | 740 A | 0/1 | B13 | 353*175*175 | 20 kg | 36 |
| F6 | 590 122 072 | G3 | H8/L5 | 90 Ah | 720 A | 0/1 | B13 | 353*175*190 | 20,8 kg | 36 |

**BLACK.DYNAMIC.6V**

| TYPE | | V | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|------------|----|----------|-------|--------------|------|-------------|---------|----------|
| D42w | 66 017 036 | 6V | 66 Ah | 360 A | 0/1 | B00 | 178*175*188 | 11,9 kg | 80 |
| E30w | 77 015 036 | 6V | 77 Ah | 360 A | 0/1 | B06 | 216*170*191 | 11,9 kg | 80 |

**PROMOTIVE.AGM**

| TYPE | | type | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------|------|----------|--------|--------------|------|-------------|--------|----------|
| A1 | 710 901 120 | AGM | C | 210 Ah | 1200 A | 3/1 | B00 | 518*276*242 | 61 kg | 12 |

**PROMOTIVE.EFB**

| TYPE | | type | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------|------|----------|--------|--------------|------|-------------|---------|----------|
| B90 | 690 500 105 | EFB | B | 190 Ah | 1050 A | 3/1 | B00 | 513*223*223 | 47,2 kg | 21 |
| C40 | 740 500 120 | EFB | C | 240 Ah | 1200 A | 3/1 | B00 | 518*276*242 | 59,8 kg | 12 |





PROMOTIVE.SUPER.HEAVY.DUTY

| TYPE | | type | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------|------|----------|--------|--------------|------|-------------|---------|----------|
| K7 | 645 400 080 | SHD | A | 145 Ah | 800 A | 3/1 | B00 | 513*189*223 | 37,2 kg | 24 |
| M18 | 680 108 100 | SHD | B | 180 Ah | 1000 A | 3/1 | B00 | 513*223*223 | 46,4 kg | 21 |
| N9 | 725 103 115 | SHD | C | 225 Ah | 1150 A | 3/1 | B00 | 518*276*242 | 58,1 kg | 12 |
| K8 | 640 400 080 | SHD | A | 140 Ah | 800 A | 3/1 | B03 | 513*189*223 | 37,4 kg | 24 |
| M9 | 670 104 100 | SHD | B | 170 Ah | 1000 A | 3/1 | B03 | 513*223*223 | 45,1 kg | 21 |



PROMOTIVE.HEAVY.DUTY

| TYPE | | type | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*H.mm | Weight | #-pallet |
|------|-------------|------|---------|----------|--------|--------------|------|-------------|----------|----------|
| B39 | 545 200 030 | Rf | HT4/LB1 | 45 Ah | 300 A | 0/1 | B13 | 207*175*175 | 11,6 kg | 72 |
| C20 | 555 064 042 | Rf | H5/L2 | 55 Ah | 420 A | 0/1 | B13 | 242*175*190 | 16,8 kg | 63 |
| H4 | 600 035 060 | Rf | D | 100 Ah | 600 A | 1/1 | B00 | 413*175*220 | 26,7 kg | 36 |
| H16 | 605 103 080 | Rf | GR31 | 105 Ah | 800 A | 9/8 | B01 | 330*172*238 | 23,7 kg | 36 |
| H17 | 605 102 080 | Rf | GR31 | 105 Ah | 800 A | 9/1 | B01 | 330*172*238 | 23,7 kg | 36 |
| I2 | 610 013 076 | HD | MAC110 | 110 Ah | 760 A | 3/1 | B03 | 514*175*210 | 31,8 kg | 27 |
| I9 | 620 047 078 | HD/P | LOT7 | 120 ah | 780 A | 0/1 | B00 | 347*173*234 | 30,91 kg | 24 |
| I5 | 610 048 068 | HD | LOT7 | 110 Ah | 680 A | 1/1 | B00 | 347*173*234 | 28,6 kg | 24 |
| I6 | 610 050 085 | HD | D | 110 Ah | 850 A | 0/1 | B03 | 413*175*220 | 27,8 kg | 24 |
| I18 | 610 404 068 | HD | LOT7 | 110 Ah | 680 A | 0/1 | B01 | 347*173*234 | 28,8 kg | 24 |
| J1 | 625 012 072 | Rf | WOR | 125 Ah | 720 A | 0/1 | B00 | 349*175*290 | 31,4 kg | 24 |
| J3 | 625 023 000 | Rf | NATO | 125 Ah | 950 A | 2/1 | B00 | 286*269*230 | 33 kg | 24 |
| J5 | 630 014 068 | HD | MAC130 | 130 Ah | 680 A | 3/1 | B00 | 514*218*208 | 38 kg | 21 |
| J8 | 635 042 068 | Rf | 12C135 | 135 Ah | 680 A | 6/1 | B11 | 360*253*240 | 42,0 kg | 24 |
| J10 | 635 052 100 | HD | MAC110 | 135 Ah | 1000 A | 3/1 | B03 | 514*175*210 | 35,2 kg | 27 |
| K4 | 643 033 095 | HD | | 135 Ah | 950 A | 3/1 | B03 | 514*218*210 | 39,9 kg | 21 |
| K11 | 643 107 090 | Rf | MAC132 | 143 Ah | 900 A | 0/1 | B01 | 508*174*205 | 44,5 kg | 21 |
| M10 | 690 033 120 | HD | B | 190 Ah | 1200 A | 4/1 | B03 | 513*223*223 | 45 kg | 21 |
| M11 | 654 011 115 | HD | A | 154 Ah | 1150 A | 3/1 | B00 | 513*189*223 | 39,8 kg | 24 |
| M12 | 680 011 140 | HD | B | 180 Ah | 1400 A | 3/1 | B00 | 513*223*223 | 46,4 kg | 21 |



LAD.AGM.DEEP.CYCLE

| TYPE | | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*Hmm | Weight | #/pal |
|-------|-------------|------|----------|-------|--------------|------|-------------|--------|-------|
| LAD24 | 830 024 016 | | 24 Ah | 145 A | 0/M5 | B00 | 165*176*125 | 8,9 kg | 96 |

| | | | | | | | | | |
|--------|-------------|-------|--------|--------|------|-----|-------------|---------|----|
| LAD50A | 830 050 044 | H5/L2 | 50 Ah | 400 A | 0/1 | B13 | 241*175*190 | 18,5 kg | 48 |
| LAD50B | 830 050 035 | | 50 Ah | 318 A | 0/M6 | B00 | 198*166*171 | 14,9 kg | 48 |
| LAD60A | 830 060 037 | | 60 Ah | 340 A | 0/1 | B00 | 265*166*188 | 20,7 kg | 32 |
| LAD60B | 830 060 051 | H6/L3 | 60 Ah | 464 A | 0/1 | B13 | 278*175*190 | 22 kg | 32 |
| LAD85 | 830 085 051 | | 85 Ah | 465 A | 0/1 | B00 | 260*169*231 | 25,1 kg | 32 |
| LAD115 | 830 115 060 | | 115 Ah | 550 A | 0/1 | B00 | 328*172*234 | 32,8 kg | 24 |
| LAD150 | 830 150 090 | | 150 Ah | 825 A | 0/1 | B00 | 484*171*241 | 45,5 kg | 16 |
| LAD210 | 830 210 118 | | 210 Ah | 1180 A | 3/1 | B00 | 530*209*214 | 60 kg | 14 |
| LAD260 | 830 260 120 | | 260 Ah | 1100 A | 3/1 | B00 | 521*269*240 | 78,2 kg | 12 |

**LA.DUAL.PURPOSE.AGM**

| TYPE | Equivalent | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*Hmm | Weight | #/pal | |
|-------|-------------|------|----------|--------|--------------|------|---------|-------------|----------|----|
| LA60 | 840 060 068 | D52 | H5/L2 | 60 Ah | 680 A | 0/1 | B13 | 242*175*190 | 17,5 kg | 57 |
| LA70 | 840 070 076 | E39 | H6/L3 | 70 Ah | 760 A | 0/1 | B13 | 278*175*190 | 20,4 kg | 48 |
| LA80 | 840 080 080 | F21 | H7/L4 | 80 Ah | 800 A | 0/1 | B13 | 315*175*190 | 22,76 kg | 36 |
| LA95 | 840 095 085 | G14 | H8/L5 | 95 Ah | 850 A | 0/1 | B13 | 353*175*190 | 26,4 kg | 36 |
| LA105 | 840 105 095 | H15 | H9 | 105 Ah | 950 A | 0/1 | B13 | 394*175*190 | 29,4 kg | 36 |
| LA210 | 840 210 120 | A1 | C | 210 Ah | 1200 A | 3/1 | B00 | 518*276*242 | 61 kg | 12 |

**LFD.DUAL.PURPOSE**

| TYPE | Case | cap.-C20 | CCA | Layout/term. | Base | L*W*Hmm | Weight | #/pal | |
|--------|-------------|----------|--------|--------------|------|---------|-------------|---------|----|
| LFD60 | 930 060 056 | H5/L2 | 60 Ah | 560 A | 0/1 | B03 | 242*175*190 | 16,8 kg | 60 |
| LFD75 | 930 075 065 | H6/L3 | 75 Ah | 650 A | 0/1 | B03 | 278*175*190 | 19,5 kg | 48 |
| LFD90 | 930 090 080 | H8/L5 | 90 Ah | 800 A | 0/1 | B03 | 353*175*190 | 23,7 kg | 36 |
| LFD140 | 930 140 080 | A | 140 Ah | 800 A | 3/1 | B00 | 513*189*223 | 36,6 kg | 24 |
| LFD180 | 930 180 100 | B | 180 Ah | 1000 A | 3/1 | B00 | 513*223*223 | 45 kg | 21 |
| LFD230 | 930 230 115 | C | 230Ah | 1150A | .3/1 | B00 | 518*276*242 | 56,7kg | 12 |

**DEEP.CYCLE.6V./,8V**

| TYPE | V | cap.-C20 | cap.-C5 | Layout/term. | Base | L*W*Hmm | Weight | #/pal | |
|----------|------------------------------|----------|---------|--------------|-------|---------|-------------|---------|----|
| GC2-3 | 300 232 000 | 6V | 232 Ah | 183 Ah | -/utl | B00 | 261*181*283 | 30,2 kg | 40 |
| GC8 | 400 170 000 | 8V | 170 Ah | 138 Ah | -/utl | B00 | 261*181*288 | 31 kg | 40 |
| WAFU48V6 | watering system 48V 6V Varta | | | | | | | | |

VARTA

VARTA

WAFU48V8
WAFU48V8

watering system 48V 8V Varta
watering system 48V 8V Varta

VARTA

VARTA