



RELION

**12 V - STANDARD**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RB5	12,8 V	5 Ah	5 A	10 A	64 Wh	F2	151*65*99	0,9 kg	
RB10	12,8 V	10 Ah	10 A	20 A	128 Wh	F2	151*98*101	1,65 kg	
RB20	12,8 V	20 Ah	20 A	40 A	256 Wh	M6	181*76*169	2,55 kg	
RB35	12,8 V	35 Ah	35 A	70 A	448 Wh	M8	195*131*171	4,8 kg	
RB40	12,8 V	40 Ah	40 A	80 A	512 Wh	M8	197*166*173	5,4 kg	
RB50	12,8 V	50 Ah	50 A	100 A	640 Wh	M8	197*166*173	6,7 kg	
RB75	12,8 V	75 Ah	75 A	150 A	960 Wh	M8	260*168*218	10,7 kg	
RB80	12,8 V	80 Ah	80 A	160 A	1024 Wh	M8	305*168*219	11,3 kg	
RB80-DIN	12,8 V	80 Ah	80 A	160 A	1024 Wh	M8	335*174*191	11,3 kg	
RB100	12,8 V	100 Ah	100 A	200 A	1280 Wh	M8	329*172*223	13,5 kg	
RB100-DIN	12,8 V	100 Ah	100 A	200 A	1280 Wh	M8	335*174*191	13,5 kg	
RB170	12,8 V	170 Ah	200 A	250 A	2176 Wh	M8	495*268*202	30 kg	
RB200	12,8 V	200 Ah	100 A	200 A	2560 Wh	M8	520*267*228	27,7 kg	
RB300	12,8 V	300 Ah	100 A	200 A	3840 Wh	M8	520*267*228	37,5 kg	

**12V - LT-series**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RB20-LT	12,8 V	20 Ah	20 A	40 A	256 Wh	M6	181*96*169	3 kg	
RB35-LT	12,8 V	35 Ah	35 A	70 A	448 Wh	M8	195*131*171	3,9 kg	
RB100-LT	12,8 V	100 Ah	100 A	200 A	1280 Wh	M8	329*172*223	13,9 kg	

**12 V - X-SERIES (High continous and peak performance)**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RB20-X	12,8 V	20 Ah	50 A	90 A	256 Wh	Flag	181*76*167	2,55 kg	
RB35-X	12,8 V	35 Ah	70 A	100 A	448 Wh	M8	195*131*171	5,2 kg	
RB60-X	12,8 V	60 Ah	100 A	200 A	768 Wh	M8	260*168*218	8,9 kg	

**12 V - HP-SERIES (High peak performance)**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RB100-HP	12,8 V	100 Ah	100 A	800 A	1280 Wh	M8	329*172*223	13,5 kg	
RB100-DHP	12,8 V	100 Ah	100 A	800 A	1280 Wh	M8	335*174*191	13,7 kg	
RB300-HP	12,8 V	300 Ah	100 A	800 A	3840 Wh	M8	520*267*229	37,5 kg	



**12 V - GOLF TROLLEY**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RBGT 16	12,8 V	16 Ah	16 A	25 A	205 Wh	T-bar	168*128*75,5	2,1 kg	
RBGT 19	12,8 V	19 Ah	16 A	25 A	243 Wh	Anderdson	181*77*168	2,6 kg	
RBGT 22	12,8 V	22 Ah	16 A	25 A	282 Wh	T-bar	168*128*102	2,9 kg	

**24 VOLTS**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RB24V20	25,6 V	20 Ah	30 A	60 A	512 Wh	M8	195*131*171	5,4 kg	
RB24V40	25,6 V	40 Ah	30 A	70 A	1280 Wh	M8	260*168*210	13 kg	
RB24V50	25,6 V	50 Ah	50 A	100 A	1280 Wh	M8	330*170*224	13,2 kg	
RB24V100	25,6 V	100 Ah	100 A	200 A	2560 Wh	M8	520*267*228	27,7 kg	
RB24V200	25,4 V	200 Ah	200 A	250 A	5120 Wh	M8	410*349*417	50 kg	
RB24V800	25,6 V	800 Ah				M8	626*295*735	200 kg	
RB24V1000	25,6 V	1000 Ah				M8	623*350*816	250 kg	

**48 VOLTS STEEL CASE**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
RV48V25	51,2 V	25 Ah	20 A	25 A	1280 Wh	M8	260*168*218	12,5 kg	
RB48V100	51,2 V	100 Ah	100 A	200 A	5120 Wh	LINYI	578*410*198	75 kg	
RB48V150	51,2 V	150 Ah	100 A	350 A	7680 Wh	M10	600*308*320	81 kg	
RB48V200	51,2 V	200 Ah	200 A	250 A	10240 Wh	M10	867*358*120	120 kg	
RB48V300	51,2 V	300 Ah	100 A	200 A	15360 Wh	LINYI	740*411*447	180 kg	

**INSIGHT RANGE**

	Vdc	Ah	A continue	Peak	Energy	Terminal	L*W*Hmm	Weight	# pal
12V120-GC2-001	12,8 V	120 Ah	200 A	350 A	1536 Wh	M8	260*180*276	12 kg	
24V060-GC2-001	25,6 V	60 Ah	150 A	300 A	1536 Wh	M8	260*180*276	12 kg	
36V030-GC2-001	38,4 V	30 Ah	100 A	150 a	1152 Wh	M8	260*180*276	10 kg	
48V030-GC2-001	51,2 V	30 Ah	100 A	150 A	1536 Wh	M8	260*180*276	12 kg	





**ACCESSORIES**

Battery Indicator